Ashleigh&Burwood ÓNDON

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Witchy Woo Incense VYRINCBUWIT

Version:

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier:Witchy Woo Incense VYRINCBUWIT(Contains:1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-
tetramethyl-2-naphthalenyl)ethanone, 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone,
Linalyl acetate, Vetiveria zizanioides, ext., acetylated)Other identifiers:None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Incense

1.3 Details of the supplier of the safety data sheet

Company name:	Ashleigh & Burwood Ltd
---------------	------------------------

Company address:	Heritage House		
	Pool Road		
	West Molesey		
	Surrey		
	KT8 2NU		
Contact:	Primary		
E-Mail address:	regulatory@ashleigh-burwood.co.uk		
Company phone:	01932260423		
1.4 Emergency telephone number			

Emergency phone: 07905850654

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger:	Skin Corrosion / Irritation Category 2 Sensitization - Skin Category 1
	Hazardous to the Aquatic Environment - Long-term Hazard Category 1 H315, Causes skin irritation.
	H317, May cause an allergic skin reaction.
	H410, Very toxic to aquatic life with long lasting effects.

2.2 Label elements

	Classification under Regulation (EC) No 1272/2008	
Signal word:	Warning	
Hazard statements:	H315, Causes skin irritation. H317, May cause an allergic skin reaction.	

Ashleigh&Burwood _____london____

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:	Witchy	Woo Incense VYRINCBUWIT
Version:	1	
		H410, Very toxic to aquatic life with long lasting effects.
Supplementa Information:	I	EUH208, Contains 1,8,12-Bisabolatriene, Allyl alpha-ionone, Eugenol, Geraniol, Linalool, Methyl atrarate, Nerolidol (isomer unspecified), alpha-Pinene, beta-Caryophyllene, beta-Pinene, d-Limonene. May produce an allergic reaction.
Precautionary statements:	/	 P102, Keep out of reach of children. P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P391, Collect spillage. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.
Pictograms:		

2.3 Other hazards

Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone	54464-57-2	915-730-3		5-<10%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 1; H315-H317-H410,-
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta- gamma-2-benzopyran	1222-05-5	214-946-9			Aquatic Acute 1- Aquatic Chronic 1; H410,-
alpha-Guaiene	3691-12-1			1-<5%	Skin Irrit. 2-Eye Irrit. 2- Asp. Tox 1;H304-H315- H319,-

Ashleigh Burwood LONDON

Page 3 (10) Issue date: 30/09/2021 Version: 1 (30/09/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Witchy Woo Incense VYRINCBUWIT

Version:

				Asp. Tox 1-Aquatic
alpha-Cedrene	469-61-4	207-418-4	1-<5%	Acute 1-Aquatic Chronic 1,H304-H410,-
d-Limonene	5989-27-5	227-813-5	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,-
Linalyl acetate	115-95-7	204-116-4	1-<5%	Skin Irrit. 2-Skin Sens. 1B;H315-H317,-
Phenol, 2-methoxy-, reaction products with 2,2-dimethyl-3- methylenebicyclo[2.2.1] heptane, hydrogenat	70955-71-4	275-062-7	1-<5%	Aquatic Chronic 2; H411,-
Vetiveria zizanioides, ext., acetylated	84082-84-8	282-031-1	1-<5%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-
Cedrol	77-53-2	201-035-6	1-<5%	Aquatic Chronic 2; H411
6,7-Dihydro-1,1,2,3,3- pentamethyl-4(5H)- indanone	33704-61-9	251-649-3	1-<5%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B-Aquatic Chronic 2;H315-H317- H319-H411
Patchouli alcohol	5986-55-0	227-807-2	1-<5%	Aquatic Chronic 2; H411
Allyl alpha-ionone	79-78-7	201-225-9	0.1-<1%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-
Cyclohexadec-8-en-1- one mixture of cis and trans isomer	3100-36-5	401-700-2	0.1-<1%	Aquatic Acute 1- Aquatic Chronic 1; H410,-
3,7-Dimethyl-1,3,6- octatriene	13877-91-3	237-641-2	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 2;H226-H304- H315-H400-H411,-
beta-Pinene	127-91-3	204-872-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410
1,8,12-Bisabolatriene	17627-44-0	241-610-9	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1;H304- H315-H317,-
Methyl atrarate	4707-47-5	225-193-0	0.1-<1%	Skin Sens. 1B;H317,-
Geraniol	106-24-1	203-377-1	0.1-<1%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1B;H315- H317-H318,-
beta-Caryophyllene	87-44-5	201-746-1	0.1-<1%	Skin Sens. 1B-Asp. Tox 1-Aquatic Chronic 4;H304-H317-H413,-
Nerolidol (isomer unspecified)	7212-44-4	230-597-5	0.1-<1%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H410,-
p-Mentha-1,4-diene	99-85-4	202-794-6	0.1-<1%	Flam. Liq. 3-Repr. 2- Asp. Tox 1;H226-H304- H361,-
alpha-Pinene	80-56-8	201-291-9	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1- Aquatic Chronic 1; H226-H302-H304-
				H315-H317-H410,-

Ashleigh&Burwood

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Witchy Woo Incense VYRINCBUWIT

Version:

Linalool	78-70-6	201-134-4	0.	.1-<1%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,-
beta-Cedrene	546-28-1		0.	.1-<1%	Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H410,-

Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Diethyl phthalate	84-66-2	201-550-6		5-<10%	-;-,-

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
Eye exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin exposure:	IF ON SKIN: Wash with plenty of soap and water.
Ingestion:	Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Ashleigh&Burwood

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Witchy Woo Incense VYRINCBUWIT

Version:

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

1

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Incense: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
Distivul aktholata	04.00.0		UK WEL Long term mgm3	5 mg/m³
Diethyl phthalate	84-66-2	201-550-6	UK WEL Short term mgm3	10 mg/m³

Ashleigh&Burwood

Page 6 (10) Issue date: 30/09/2021 Version: 1 (30/09/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Witchy Woo Incense VYRINCBUWIT

Version:

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Mid-purple, Dark Purple and Indigo Incense Sticks
Odour:	Heavily fragranced.
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 80 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected
9.2 Other information: None av	ailable

Ashleigh&Burwood ÓNDON

Page 7 (10) Issue date: 30/09/2021 Version: 1 (30/09/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Witchy Woo Incense VYRINCBUWIT

Version:

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	Not Applicable
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Based on available data the classification criteria are not met.
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture Not Applicable

Refer to Sections 2 and 3 for additional information.

Ashleigh&Burwood ÓNDON

Page 8 (10) Issue date: 30/09/2021 Version: 1 (30/09/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Witchy Woo Incense VYRINCBUWIT

Version:

Section 12. Ecological information

Very toxic to aquatic life with long lasting effects.

- **12.2 Persistence and degradability:** Not available
- 12.3 Bioaccumulative potential: Not available
- 12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number:	UN3077
14.2 UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (alpha-Cedrene, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone)
14.3 Transport hazard class(es):	9
Sub Risk:	
14.4. Packing Group:	III
14.5 Environmental hazards:	This is an environmentally hazardous substance.
14.6 Special precautions for user:	None additional
14.7 Transport in bulk according to Anne	ex II of MARPOL73/78 and the IBC Code:
Not applicable	
<u>S</u>	ection 15. Regulatory information
15.1 Safety, health and environmental re	gulations/legislation specific for the substance or mixture
Water Hazard Class (WGK):	3
VOC %age:	0.000%
15.2 Chemical Safety Assessment	
A Chemical Safety Assessment has not bee	en carried out for this product.
	Section 16. Other information
Concentration % Limits:	EH C1=80.80% EH C2=7.91% EH C3=0.79138968% EH C4=66.77% SCI 2=76.92% SS 1=12.82%
Total Fractional Values:	EH C1=1.24 EH C2=12.64 EH C3=126.36 EH C4=1.50 SCI 2=1.30 SS 1=7.80

Ashleigh Burwood LONDON

Page 9 (10) Issue date: 30/09/2021 Version: 1 (30/09/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Witchy Woo Incense VYRINCBUWIT

Version:

Key to revisions:

Not applicable

Key to abbreviations:

Acute Tox: 4 Acute Toxicity - Oral Category 4 Aquatic Acute 1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 4 Asp. Tox 1 Aspiration Hazard Category 1 Eye Dam 1 Eye Damage / Irritation Category 2 Flam. Liq, 3 Flammable Liquid, Hazard Category 3 H226 Flammable Liquid, Hazard Category 3 H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H410 Very toxic to aquatic life. H411 Toxic to aquatic life. H413 May cause an allergic skin reaction. H314 Toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life. H412 Toxic to aquatic life. P202 Do not handle until all safety precautions have been read and understod. P210 Keep awary from heat, sparks, open flames and hot surfaces No smoking	Abbreviation	Meaning
Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 4 Asp. Tox 1 Aspiration Hazard Category 1 Eye Dam. 1 Eye Damage / Irritation Category 2 Flam. Liq. 3 Flammable Liquid, Hazard Category 2 Flam. Liq. 3 Flammable Liquid, Hazard Category 3 H226 Flammable Liquid, Hazard Category 3 H302 Harmful if swallowed. H304 May be fatal if swallowed. H315 Causes skin irritation. H317 May cause an altergic skin reaction. H318 Causes serious eye damage. H410 Very toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. P202 Do not handle until all safety precautions have been read and understood. P210 Keep container tightly closed. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use	Acute Tox. 4	Acute Toxicity - Oral Category 4
Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 4 Asp. Tox 1 Aspiration Hazard Category 1 Eye Dam. 1 Eye Damage / Irritation Category 2 Flam. Liq. 3 Flammable Liquid, Hazard Category 3 H302 Flammable Liquid, Hazard Category 3 H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye damage. H311 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. P202 Do not handle until all safety precautions have been read and understood. P210 Keep container tightly closed. P233 Keep container and receiving equipment. P242 Use only non-sparking tools. P243 Take precautionary mea	Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 4 Asp. Tox 1 Aspiration Hazard Category 1 Eye Dam. 1 Eye Damage / Irritation Category 2 Flam. Liq. 3 Flammable Liquid, Hazard Category 3 H326 Flammable Liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H311 Suspected of damaging fertility or the unborn child (exposure route). H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. P202 Do not handle until all safety precautions have been read and understood. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P242 Use enly non-sparking tools. P243 Take proculting was pass against static discharge. P244 Wase hands and other contacted skin thoroughly after handlin	Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Asp. Tox 1 Aspiration Hazard Category 1 Eye Dam. 1 Eye Damage / Irritation Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Flam. Liq. 3 Flammable Liquid, Hazard Category 3 H226 Flammable Liquid, Hazard Category 3 H302 Harmful if swallowed. H304 May be fatal if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes skerious eye damage. H319 Causes skerious eye irritation. H310 Very toxic to aquatic life. H411 Toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life. H413 May cause long lasting harmful effects to aquatic life. P202 Do not handle until all safety precautions have been read and understood. P210 Keep ontainer tightly closed. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin thoroughly after handl	Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Eye Dam. 1 Eye Damage / Irritation Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Flam. Liq. 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H410 Very toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container nighty closed. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin thoroughly after handling.	Aquatic Chronic 4	Hazardous to the Aquatic Environment - Long-term Hazard Category 4
Eye Intl. 2 Eye Damage / Irritation Category 2 Flam. Liq. 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters alrways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye inritation. H311 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H411 Toxic to aquatic life. H412 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P242 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. </td <td>Asp. Tox 1</td> <td>Aspiration Hazard Category 1</td>	Asp. Tox 1	Aspiration Hazard Category 1
Flam. Liq. 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H311 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when usin	Eye Dam. 1	Eye Damage / Irritation Category 1
H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H311 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P241 Use only non-sparking tools. <td< td=""><td>Eye Irrit. 2</td><td>Eye Damage / Irritation Category 2</td></td<>	Eye Irrit. 2	Eye Damage / Irritation Category 2
H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H361Suspected of damaging fertility or the unborn child (exposure route).H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H304May be fatal if swallowed and enters airways.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H361Suspected of damaging fertility or the unborn child (exposure route).H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H226	Flammable liquid and vapour.
H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H361Suspected of damaging fertility or the unborn child (exposure route).H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H302	Harmful if swallowed.
H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H361Suspected of damaging fertility or the unborn child (exposure route).H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P270Do not eat, drink or smoke when using this product.	H304	May be fatal if swallowed and enters airways.
H318Causes serious eye damage.H319Causes serious eye irritation.H361Suspected of damaging fertility or the unborn child (exposure route).H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P270Do not eat, drink or smoke when using this product.	H315	Causes skin irritation.
H319Causes serious eye irritation.H361Suspected of damaging fertility or the unborn child (exposure route).H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H317	May cause an allergic skin reaction.
H361Suspected of damaging fertility or the unborn child (exposure route).H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H318	Causes serious eye damage.
H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P260Do not eat, drink or smoke when using this product.	H319	Causes serious eye irritation.
H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H361	Suspected of damaging fertility or the unborn child (exposure route).
H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H400	Very toxic to aquatic life.
H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H410	Very toxic to aquatic life with long lasting effects.
P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H411	Toxic to aquatic life with long lasting effects.
P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H413	May cause long lasting harmful effects to aquatic life.
P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	P202	Do not handle until all safety precautions have been read and understood.
P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	P233	Keep container tightly closed.
P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.	P240	Ground/bond container and receiving equipment.
P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.	P241	Use explosion-proof electrical, ventilating and lighting equipment.
P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.	P242	Use only non-sparking tools.
P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.	P243	Take precautionary measures against static discharge.
P270 Do not eat, drink or smoke when using this product.	P261	Avoid breathing vapour or dust.
	P264	Wash hands and other contacted skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.	P270	Do not eat, drink or smoke when using this product.
	P272	Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.	P273	Avoid release to the environment.
P280 Wear protective gloves/eye protection/face protection.	P280	Wear protective gloves/eye protection/face protection.
P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302/352 IF ON SKIN: Wash with plenty of soap and water.	P302/352	IF ON SKIN: Wash with plenty of soap and water.

Ashleigh&Burwood

Page 10 (10) Issue date: 30/09/2021 Version: 1 (30/09/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Wito	hy Woo Incense VYRINCBUWIT
---------------	----------------------------

Version:

P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.