SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : TRUDON - Diffuser Cyrnos - 350mL Product code : DIF/350/CYR. UFI : V1Q1-X0KK-T00Y-XC0U

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : C.I.R.

Address : 23 rue d'Anjou.75008.Paris.FRANCE.

Telephone : 02 33 85 39 80. Fax : .

nekberian@cirier.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



01307	
Signal Word :	
WARNING	
Product identifiers :	
EC 915-730-3	1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTYL)ETHANE-1-ONE
EC 201-134-4	LINALOOL
EC 233-732-6	3,7-DIMETHYL-1,6-NONADIEN-3-OL
EC 204-116-4	LINALYL ACETATE
CAS 106-24-1	GERANIOL 98
EC 227-813-5	D-LIMONENE
EC 202-589-1	EUGENOL
EC 261-332-1	FORMALDEHYDE CYCLODODECYL ETHYL ACETAL
EC 203-212-3	CINNAMYL ALCOHOL
EC 203-378-7	NEROL
EC 251-649-3	6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE
EC 267-510-5	CEDRYL METHYL ETHER
EC 245-844-2	(E)-1-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN-1-YL)-2-BUTEN-1-ONE
Hazard statements :	
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements - General :	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statements - Response :	
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
Precautionary statements - Disposal :	
P501	Dispose of contents/container in compliance with regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Composition :	T		
Identification	Classification (EC) 1272/2008	Note	%
CAS: 56539-66-3	GHS07		$50 \le x \% \le 100$
EC: 260-252-4	Wng		
REACH: 01-2119976333-33-XXXX	Eye Irrit. 2, H319		
3-METHOXY-3-METHYLBUTAN-1-OL			
CAS: 34590-94-8		[i]	2.5 <= x % < 10
EC: 252-104-2			
REACH: 01-2119450011-60			
DIPROPYLENE GLYCOL MONOMETHYL			
ETHER	CUE07 CUE00		0 < 0 < - 2.5
CAS: 54464-57-2	GHS07, GHS09		$0 \le x \% < 2.5$
EC: 915-730-3	Wng		
REACH: 01-2119489989-04-XXXX	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETR	Aquatic Chronic 2, H411		
AMETHYL-2-NAPHTYL)ETHANE-1-ONE			
CAS: 78-70-6	GHS07		$0 \le x \% < 2.5$
EC: 201-134-4	Wng		
REACH: 01-2119474016-42	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
LINALOOL	Eye Irrit. 2, H319		
CAS: 10339-55-6	GHS07		$0 \le x \% < 2.5$
EC: 233-732-6	Wng		
REACH: 01-2119969272-32	Skin Sens. 1B, H317		
	Eye Irrit. 2, H319		
3,7-DIMETHYL-1,6-NONADIEN-3-OL			
CAS: 115-95-7	GHS07		$0 \le x \% < 2.5$
EC: 204-116-4	Wng		
REACH: 01-2119454789-19	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
LINALYL ACETATE	Eye Irrit. 2, H319		
CAS: 106-24-1	GHS05		$0 \le x \% < 2.5$
REACH: 01-2119552430-49	Dgr		
	Skin Irrit. 2, H315		
GERANIOL 98	Skin Sens. 1, H317		
	Eye Dam. 1, H318		
	2.50 2.000 1, 11010	1	1

CAS: 5989-27-5	GHS07, GHS09, GHS08, GHS02	$0 \le x \% \le 2.5$
EC: 227-813-5	Dgr	0 <- x /0 < 2.5
REACH: 01-2119529223-47	Flam. Liq. 3, H226	
KL/KCH. 01-211/52/225-47	Asp. Tox. 1, H304	
D-LIMONENE	Skin Irrit. 2, H315	
D EIMORENCE	Skin Sens. 1, H317	
	Aquatic Acute 1, H400	
	M Acute = 1	
	Aquatic Chronic 1, H410	
	M Chronic = 1	
CAS: 97-53-0	GHS07	$0 \le x \% \le 2.5$
EC: 202-589-1	Wng	0 4 70 42.5
REACH: 01-2119971802-33	Skin Sens. 1B, H317	
REACH. 01 2119971002 55	Eye Irrit. 2, H319	
EUGENOL	Lyc III. 2, 113 19	
CAS: 58567-11-6	GHS07, GHS09	$0 \le x \% \le 2.5$
EC: 261-332-1	Wng	
REACH: 01-2119971571-34	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
FORMALDEHYDE CYCLODODECYL	Aquatic Chronic 2, H411	
ETHYLACETAL	* '	
CAS: 104-54-1	GHS07	$0 \le x \% < 2.5$
EC: 203-212-3	Wng	
REACH: 01-2119934496-29	Acute Tox. 4, H302	
	Skin Sens. 1B, H317	
CINNAMYL ALCOHOL	,	
CAS: 106-25-2	GHS07	$0 \le x \% \le 2.5$
EC: 203-378-7	Wng	
REACH: 01-2119983244-33	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
NEROL	Eye Irrit. 2, H319	
CAS: 33704-61-9	GHS07, GHS09	$0 \le x \% \le 2.5$
EC: 251-649-3	Wng	
REACH: 01-2119977131-40	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5	Eye Irrit. 2, H319	
H)-INDANONE	Aquatic Chronic 2, H411	
INDEX: 606-046-00-3	GHS09	$0 \le x \% < 2.5$
CAS: 3100-36-5	Wng	
EC: 401-700-2	Aquatic Acute 1, H400	
	M Acute = 1	
REACTION MASS OF CIS-AND	Aquatic Chronic 1, H410	
TRANS-CYCLOHEXADEC-8-EN-1-ONE	M Chronic = 1	
CAS: 67874-81-1	GHS07, GHS09	$0 \le x \% < 2.5$
EC: 267-510-5	Wng	
REACH: 01-2120228335-61-XXXX	Skin Sens. 1B, H317	
	Aquatic Acute 1, H400	
CEDRYL METHYL ETHER	M Acute = 1	
	Aquatic Chronic 1, H410	
CAR 479(05 70 4	M Chronic = 1	
CAS: 478695-70-4	GHS09	$0 \le x \% \le 2.5$
DRODANEDIOIC ACID	Wng	
PROPANEDIOIC ACID,	Aquatic Acute 1, H400 M Acute = 1	
1-(3,3-DIMETHYLCYCLOHEXYL) ETHYL, ETHYL ESTER	Aquatic Chronic 1, H410	
LIIILESIEK		
CAS: 469-61-4	M Chronic = 1 GHS08, GHS09, GHS07	$0 \le x \% < 2.5$
EC: 207-418-4		0 - X % < 2.5
LU. 20/-410-4	Dgr Asp. Tox. 1, H304	
ALPHA-CEDRENE	Asp. 10x. 1, H304 Skin Irrit. 2, H315	
ALI HA-CEDITENE	Aquatic Acute 1, H400	
	Aquatic Acute 1, $H400$ M Acute = 10	
	Aquatic Chronic 1, H410	
	M Chronic = 10	

CAS: 23726-93-4	GHS07, GHS09		$0 \le x \% \le 2.5$
EC: 245-844-2	Wng		
REACH: 01-2120105798-49	Skin Irrit. 2, H315		
	Skin Sens. 1A, H317		
(E)-1-(2,6,6-TRIMETHYL-1,3-CYCLOHEXAD	Aquatic Chronic 2, H411		
IEN-1-YL)-2-BUTEN-1-ONE			
Specific concentration limits:			
Identification	Specific concentration limits	ATE	
CAS: 56539-66-3		oral: ATE =	= 4400 mg/kg BW
EC: 260-252-4			
REACH: 01-2119976333-33-XXXX			
3-METHOXY-3-METHYLBUTAN-1-OL			
CAS: 78-70-6		oral: ATE =	= 2790 mg/kg BW
EC: 201-134-4			
REACH: 01-2119474016-42			
LINALOOL			
CAS: 10339-55-6		oral: ATE =	= 5000 mg/kg BW
EC: 233-732-6		orun rin E	
REACH: 01-2119969272-32			
3,7-DIMETHYL-1,6-NONADIEN-3-OL			
CAS: 104-54-1		oral: ATE =	= 2000 mg/kg BW
EC: 203-212-3			
REACH: 01-2119934496-29			
CINNAMYL ALCOHOL			
CAS: 106-25-2		oral: ATE =	= 4500 mg/kg BW
EC: 203-378-7			10 00 mg/ng 2 m
REACH: 01-2119983244-33			
NEROL			
CAS: 33704-61-9		oral: ATE =	= 2900 mg/kg BW
EC: 251-649-3			5 5
REACH: 01-2119977131-40			
6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5			
H)-INDANONE			
CAS: 23726-93-4		dermal: AT	E = 2900 mg/kg BW
EC: 245-844-2			5 5
REACH: 01-2120105798-49			
(E)-1-(2,6,6-TRIMETHYL-1,3-CYCLOHEXAD	1		
IEN-1-YL)-2-BUTEN-1-ONE			

Information on ingredients :

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist

- foam

- multipurpose ABC powder

- BC powder

- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

Store between 18°C and 25°C in a dry and ventilated place

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- European Union :

CAS	VME-mg/m3 :	VME-ppm :	VLE-mg/m3 :	VLE-ppm :	Notes :
34590-94-8	308	50	-	-	Peau
- UK :					
CAS	TWA :	STEL:	Ceiling :	Definition :	Criteria :
34590-94-8	50 ppm			Sk	
	308 mg/m3				

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8)

Final use:	Consumers.
Exposure method:	Ingestion.
Potential health effects:	Long term systemic effects.
DNEL :	1.67 mg/kg body weight/day
Exposure method:	Dermal contact.
Potential health effects:	Long term systemic effects.
DNEL :	15 mg/kg body weight/day
Exposure method:	Inhalation.
Potential health effects:	Long term systemic effects.
DNEL :	37.2 mg of substance/m3

Predicted no effect concentration (PNEC):

DIPROPYLENE GLYCOL MON	OMETHYL ETHER (CAS: 34590-94-8)
Environmental compartment:	Soil.
PNEC :	2.74 mg/kg

Environmental compartment:	Fresh water.
PNEC :	19 mg/l
Environmental compartment:	Sea water.
PNEC :	1.9 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	190 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	70.2 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	7.02 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	4168 mg/l
Exposure controls	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard ISO 16321.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- PVA (Polyvinyl alcohol)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties **Physical state** Physical state : Fluid liquid. Colour Unspecified Odour Odour threshold : Not stated. **Freezing point** Freezing point / Freezing range : Not stated. Boiling point or initial boiling point and boiling range Boiling point/boiling range : Not relevant. Flammability Not stated. Flammability (solid, gas): Lower and upper explosion limit Explosive properties, lower explosivity limit (%) Not stated. Explosive properties, upper explosivity limit (%)Not stated. Flash point Not relevant. Flash point interval : Auto-ignition temperature Not relevant. Self-ignition temperature : **Decomposition temperature** Decomposition point/decomposition range : Not relevant. pН pH (aqueous solution) : Not stated. Not relevant. pH: Kinematic viscosity Viscosity : Not stated. Solubility Water solubility : Dilutable. Fat solubility : Not stated. Partition coefficient n-octanol/water (log value) Partition coefficient: n-octanol/water : Not stated. Vapour pressure Vapour pressure (50°C) : Not relevant. Density and/or relative density Density : < 1 **Relative vapour density** Vapour density : Not stated. **Particle characteristics** The mixture does not contain nanoforms. 9.2. Other information No data available. 9.2.1. Information with regard to physical hazard classes No data available.

9.2.2. Other safety characteristics No data available.

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

SECTION 10 : STABILITY AND REACTIVITY 10.1. Reactivity No data available. 10.2. Chemical stability This mixture is stable under the recommended handling and storage conditions in section 7. 10.3. Possibility of hazardous reactions When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide. 10.4. Conditions to avoid No data available. 10.5. Incompatible materials No data available. 10.6. Hazardous decomposition products The thermal decomposition may release/form : - carbon monoxide (CO) - carbon dioxide (CO2) SECTION 11 : TOXICOLOGICAL INFORMATION 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 11.1.1. Substances a) Acute toxicity : (E)-1-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN-1-YL)-2-BUTEN-1-ONE (CAS: 23726-93-4) Dermal route : LD50 = 2900 mg/kg body weight6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE (CAS: 33704-61-9) Oral route : LD50 = 2900 mg/kg body weight NEROL (CAS: 106-25-2) LD50 = 4500 mg/kg body weight Oral route : CINNAMYL ALCOHOL (CAS: 104-54-1) Oral route : LD50 = 2000 mg/kg body weight 3,7-DIMETHYL-1,6-NONADIEN-3-OL (CAS: 10339-55-6) Oral route : LD50 = 5000 mg/kg body weightLINALOOL (CAS: 78-70-6) LD50 = 2790 mg/kg body weightOral route : 3-METHOXY-3-METHYLBUTAN-1-OL (CAS: 56539-66-3) LD50 = 4400 mg/kg body weightOral route : b) Skin corrosion/skin irritation : No data available. c) Serious damage to eyes/eye irritation : No data available. d) Respiratory or skin sensitisation : No data available. e) Germ cell mutagenicity : No data available. f) Carcinogenicity : No data available. g) Reproductive toxicant : No data available.

h) Specific target organ systemic toxicity - single exposure

TRUDON - Diffuser Cyrnos - 350mL - DIF/350/CYR

if specific target of gain systemic toxicity s	ingle exposure .
No data available.	
 i) Specific target organ systemic toxicity - re No data available. 	epeated exposure :
j) Aspiration hazard :	
No data available.	
11.1.2. Mixture	
11.1.2.1 Information on hazard classes	
a) Acute toxicity :	
Oral route :	No data available.
	No data available.
Dermal route :	

No data available.

Inhalation route (Dusts/mist) : b) Skin corrosion/skin irritation :

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

c) Serious damage to eyes/eye irritation :

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days. Splashes in the eyes may cause irritation and reversible damage

d) Respiratory or skin sensitisation :

May cause an allergic reaction by skin contact.

e) Germ cell mutagenicity :

No data available.

f) Carcinogenicity :

No data available.

g) Reproductive toxicant :

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure : No data available.

j) Aspiration hazard :

No data available.

11.1.2.2 Other information

Symptoms related to the physical, chemical and toxicological characteristics

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 97-54-1 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 97-53-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 2 : Hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

14.4. Packing group

88.1

14.5. Environmental hazards

-

14.6. Special precautions for user

.

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/2564. (ATP 22)

Container information:

No data available.

Particular provisions :

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):

The mixture does not contain any substance subject to authorisation according to Annex XIV of REACH Regulation (EC) No 1907/2006: https://echa.europa.eu/fr/authorisation-list.

Substances that deplete the ozone layer (EC Regulation No. 1005/2009, Montreal Protocol) :

The mixture does not contain any substance posing a risk to the ozone layer.

Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):

The mixture does not contain a persistent organic pollutant.

PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):

The mixture is not subject to the Prior Informed Consent (PIC) procedure.

Explosives precursors :

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 2 : Hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

- ATE : Acute Toxicity Estimate
- BW : Body Weight

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

GHS07 : Exclamation mark

IATA : International Air Transport Association.

IMDG : International Maritime Dangerous Goods.

ICAO : International Civil Aviation Organisation

PBT: Persistent, bioaccumulable and toxic.

PIC: Prior Informed Consent.

POP: Persistent Organic Pollutant.

RID : Regulations concerning the International carriage of Dangerous goods by rail.

SVHC : Substances of very high concern.

vPvB : Very persistent, very bioaccumulable.

WGK : Wassergefahrdungsklasse (Water Hazard Class).